

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"09178420"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/03 10:03
L7	1	"6801340".pn.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/03 12:53
L8	211	(document or data) near5 error near5 omission	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/03 13:45
L9	41	L8 same detect\$4	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/03 12:54
L10	365	(document) near5 error near5 detect\$4	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/03 13:08
L11	321	L10 and (@AD < "20020205" or @RLAD < "20020205" or @PRAD < "20020205")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/03 13:08
L12	16	L11.and document near6 (transmi\$6 or transfer\$6) and error near4 report	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/03 13:08
L13	188	(document) near8 error near5 detect\$4 and document near5 scan\$5	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/03 13:08
L14	155	L13 and (@AD < "20020205" or @RLAD < "20020205" or @PRAD < "20020205")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/03 14:15
L15	6	L14 and document near6 (transmi\$6 or transfer\$6) and error near4 report	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/03 14:15
L16	6	L14 and error near4 report	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/03 13:10
L17	68	L14 and document near6 (transmi\$6 or transfer\$6)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/03 13:10
L18	3	("5374999").URPN.	USPAT	OR	ON	2005/05/03 13:44
L19	0	detect\$3 near5 incomplete near8 scan\$3 near4 document	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/03 13:44
L20	7	detect\$3 near5 incomplete near8 scan\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/03 13:44
L21	4	(document) near5 omission near6 detect\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/03 14:15

L22	6	(document) near5 incomplete near6 detect\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/03 14:06
L23	1	detect\$6 near4 error same receiv\$4 near4 incomplete near4 document	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/03 14:08
L27	6	("5930792" "5909570" "5873076" "5826244" "5764279" "5438508"). pn.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/03 14:12
L29	11	("6311223" "6298441" "6266681" "6263436" "6253322" "6226675" "6216141" "6178430" "6101509" "6078906" "6039248").pn.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/03 14:12
L30	1	(L27 or L29) and error near4 (detect\$3 and report\$3)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/03 14:14
L32	2	(L27 or L29) and error near4 (report\$3)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/03 14:14
L33	372	(document) near5 error near6 detect\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/03 14:15
L34	328	L33 and (@AD < "20020205" or @RLAD < "20020205" or @PRAD < "20020205")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/03 15:24
L36	20	L34 and document near6 (transmi\$6 or transfer\$6) and error near4 report\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/03 14:18
L37	25	L34 and document same error near4 report\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/03 14:19
L38	20	(US-20030072263-\$ or US-20030074472-\$ or US-20030126109-\$ or US-20030149791-\$ or US-20040032348-\$ or US-20040212841-\$ or US-20050002399-\$ or US-20020149800-\$ or US-20020016910-\$).did. or (US-5909570-\$ or US-6178430-\$ or US-6202086-\$ or US-6253071-\$ or US-6421429-\$ or US-6801340-\$ or US-5673402-\$ or US-6407828-\$ or US-5374999-\$ or US-6657740-\$).did. or (JP-03248228-\$).did.	US-PGPUB; USPAT; JPO	OR	ON	2005/05/03 14:19
L39	1	L38 and document same error near4 report\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/03 14:19

L40	4	L38 and error near4 report\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/03 14:20
L41	13	L38 and error	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/03 14:25
L42	47	incomplete near6 retriev\$5 near4 data	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/03 14:25
L43	5	L42 same detect\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/03 14:25
L45	10	track\$3 near5 communication near6 between near4 ((source and destination) or (sender and receiver))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/03 14:49
L46	11	track\$3 near8 communication near6 between near5 (source and destination)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/03 14:50
L47	10	track\$3 near8 communication near6 between near5 (provider)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/03 14:51
L48	2	track\$3 near8 communication near6 between near5 (sender)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/03 14:51
L49	7	track\$3 near8 communication near6 between near5 (resource)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/03 14:52
L50	69	track\$3 near8 communication near6 between and error near4 report\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/03 15:23
L51	23	L50 and document	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/03 14:55
L52	532	track\$3 near8 communication and error and generat\$3 near4 report	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/03 15:53
L53	240	L52 and document	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/03 15:24
L54	197	L53 and (@AD < "20020205" or @RLAD < "20020205" or @PRAD < "20020205")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/03 15:24
L55	33	L52 and document near4 (transmi\$6 or transfer\$4)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/03 15:24
L56	30	L55 and (@AD < "20020205" or @RLAD < "20020205" or @PRAD < "20020205")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/03 15:54

L57	2	track\$3 near8 communication same error same generat\$3 near4 report	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/03 15:53
L58	208	communication same error same generat\$3 near4 report	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/03 15:53
L59	5	L58 and track\$3 near6 communication	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/03 15:54
L60	63	L58 and monitor\$3 near6 communication	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/03 15:54
L61	53	L60 and (@AD < "20020205" or @RLAD < "20020205" or @PRAD < "20020205")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/03 15:54
S1	5865	rout\$3 and table and protocol near4 format	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/03 10:02
S2	43	retriev\$3 near6 table near5 (transform\$3 or conver\$5 or encod\$4) near5 format	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/02 10:38
S3	7	S1 and S2	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/02 10:22
S4	37	S2 and (@AD < "20020205" or @RLAD < "20020205" or @PRAD < "20020205")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/02 10:40
S5	9	retriev\$3 near6 table near5 (transform\$3 or conver\$5 or encod\$4) near5 protocol	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/02 10:40
S6	1484	rout\$3 near4 table and (transform\$3 or conver\$5 or encod\$4) near5 protocol	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/02 10:45
S7	1025	S6 and server	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/02 10:40
S8	869	S7 and (@AD < "20020205" or @RLAD < "20020205" or @PRAD < "20020205")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/02 10:45
S9	764	S8 and rout\$3 near4 (data or message or file)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/02 10:41
S10	430	S6 and server same rout\$3 near4 (data or message or file)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/02 10:45
S11	378	S10 and (@AD < "20020205" or @RLAD < "20020205" or @PRAD < "20020205")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/02 14:49

S12	124	route\$3 near4 table same (transform\$3 or convert\$5 or encode\$4) near5 protocol	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/02 10:45
S13	107	S12 and (@AD < "20020205" or @RLAD < "20020205" or @PRAD < "20020205")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/02 10:45
S14	18	S13 and server same route\$3 near4 (data or message or file)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/02 12:56
S15	4	server near8 application and (table near4 format near4 protocol) and route\$3 near6 protocol	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/02 11:02
S16	11	("6311223" "6298441" "6266681" "6263436" "6253322" "6226675" "6216141" "6178430" "6101509" "6078906" "6039248").pn.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/02 14:32
S17	5	(system near5 routing near4 data near4 server).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/02 13:00
S18	0	(Data routing method using server system involves transforming data format retrieved from table routing transformed data destination using retrieved communication protocol)	US-PGPUB; USPAT; EPO; JPO; DERWENT	NEAR	ON	2005/05/02 13:08
S19	0	(Data routing method using server system involves transforming data format retrieved from table routing transformed data destination using retrieved communication protocol).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT	AND	ON	2005/05/02 13:08
S20	6	("5930792" "5909570" "5873076" "5826244" "5764279" "5438508").pn.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/02 14:32
S21	12	server same data near4 (transfer\$6 or transmit\$6) and (table near4 format near3 protocol)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/02 13:39
S22	98	("6311223" "6298441" "6266681" "6263436" "6253322" "6226675" "6216141" "6178430" "6101509" "6078906" "6039248")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/02 14:32
S23	251	("5930792" "5909570" "5873076" "5826244" "5764279" "5438508")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/02 14:32
S24	0	S22 and S23 and (table near4 format near4 potocol)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/02 14:33

S25	0	S22 and S23 and (table near4 format)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/02 14:33
S26	0	(S22 or S23) and (table near4 format near4 potocol)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/02 14:33
S27	27	(S22 or S23) and (table near4 format)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/02 14:37
S28	10	(S22 or S23) and (table near4 protocol)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/02 14:43
S29	16	table near4 (destination near4 source near4 transaction)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/02 14:38
S30	71	(notif\$6 near5 user).ti.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/02 14:47
S31	9798	server near10 (transmi\$7 or transfer\$7) near5 (data or message or file or document or information) and (conver\$6 or chang\$3 or edit\$3 or encod\$5 or translat\$3 or transform\$3) near5 format	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/02 14:49
S32	846	S31 and format near4 table	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/02 14:49
S33	707	S32 and (@AD < "20020205" or @RLAD < "20020205" or @PRAD < "20020205")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/03 12:58
S35	550	S33 and protocol	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/02 14:51
S36	319	S35 and destination and source	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/02 14:52
S37	204	S35 and destination same source	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/02 14:52